


**CONCRETE CURB & GUTTER CONNECTION FOR CLASS I & III DRIVES**

**NOTES:**

- ① See Standard Drawing E 610-DRIV-08 for Section A-A, and Section B-B.
2. Pavement shall be PCCP for Approaches, 9 in., on subgrade treatment Type IIIA.
- ③ See Standard Drawings E 604-SDWK-01 or E 604-SDWK-02 for sidewalk elevation transition details, or Standard Drawing E 604-SWCR-09 for sidewalk curb ramp details if the drive is signalized.
4. See Standard Drawing E 610-DRIV-07 for joint placement details.
5. See Standard Drawing E 610-DRIV-13 for General Notes and additional Legend.

**LEGEND**

- $W$  = Width of sidewalk
- $Wd$  = Driveway width
- $X$  = Distance between back face of curb and sidewalk.
- $Y$  = Distance from front face of curb to  $R$  or  $R/W$
- $\square$  = Sidewalk elevation transition.



**PLAN VIEW - CLASS III DRIVE**

INDIANA DEPARTMENT OF TRANSPORTATION	
CLASS III DRIVE	
SEPTEMBER 2010	
STANDARD DRAWING NO.	E 610-DRIV-03
	<i>/s/ Richard L. VanCleave</i> 09/01/10 DESIGN STANDARDS ENGINEER      DATE
	<i>/s/ Mark A. Miller</i> 09/01/10 CHIEF HIGHWAY ENGINEER      DATE
DESIGN STANDARDS ENGINEER	